WEST Search History

Hide Items Restore Clear Cancel

DATE: Tuesday, August 22, 2006

Hide?	Hit Count		
	DB=DW	VPI; PLUR=YES; OP=AL	OJ
	L13 ·	HCMV and T cell	33
	DB=US	PT; PLUR=YES; OP=AD	J
	L12	L6 and diagnostic.clm.	30
	L11	L6 and diagnostic	808
	L10	L6 and T cell bind?	1
	L9	L6 T cell bind?	0
	L8	L6 T cell binding	0
	L7	L6 and T cells	782
	L6	HCMV	1622
	L5	human cytomegalovirus	3939
	L4	Diamond Don.in.	12
	L3	Diamond Don J.in.	9
	L2	6562345	6
	L1	6733973	2

END OF SEARCH HISTORY

S NCBI	Pı	ubla	led	A service	of the Nationa and the Nation			My NCBI	
		Nucleotide	Protein	ubmed.gov	Structure	OMIM F	мс	Journals	Book
All Databases F Search PubMed	PubMed	for ·	Protein	Genome	Structure	Olvinivi		Clear	5007
About Entrez Text Version Entrez PubMed Overview Help FAQ Tutorials New/Noteworthy E-Utilities PubMed Services Journals Database MeSH Database Single Citation Matcher	□ 1: ½ i i F I I I I I I I I I I I I I I I I I	Preview/ Summary	of 135 of 135 of 2, Lacey iamond DJ. unsion of papy by recepto 2006 Apr;34 96 [PubMed ele H, Sinzg	Show Show SF, Lalimarn olyclonal Tombinant m (4):497-507 indexed for er C, Wernet	cell subset nodified vac MEDLINE]	Page nnan A, as for adop	Send to	o of 7	Links
Batch Citation Matcher Clinical Queries Special Queries LinkOut My NCBI		M, Campbell J Rapid gener For adoptive Blood. 2004 M PMID: 146709	ation of co transfer in ay 1;103(9):	mbined CM to recipient 3565-72. Epu	s of alloger b 2003 Dec 1	neic stem c			ines
Related Resources Order Documents NLM Mobile NLM Catalog NLM Gateway TOXNET Consumer Health Clinical Alerts		Wang Z, La Ro Markel S, Lon WJ, Diamond Attenuated p Specific T co Blood. 2004 A PMID: 150904	gmate J, Elle DJ. poxviruses ells. ug 1;104(3):	nhorn JD, Sil generate cl 847-56. Epub	iciano RF, Bu inically rele 2004 Apr 15	ek C, Britt		ed Articles,	
ClinicalTrials.gov PubMed Central	□ 4: \	Wang Z, La Ro Diamond DJ.	osa C, Lacey	SF, Maas R,	Mekhoubad S	S, Britt WJ,	Relate	ed Articles,	Links
		Attenuated paccine strated Clin Virol. 20 PMID: 163889	egy for Cl 006 Mar;35(MV infections):324-31. Ep	on. ub 2006 Jan 4	1 .	CMV	antigens	as a
	□ 5:]	Feuchtinger T, Niethammer D	Lang P, Han , Einsele H.	nprecht K, Sc	humm M, Gr	eil J, Jahn G	Relate	ed Articles,	Links
	, I	Isolation and cells accord Exp Hematol. PMID: 150033	ng to IFN- 2004 Mar;32	-gamma sec 2(3):282-9.	cretion for a	ıdjuvant in			+ T
		Wiesner M, Ze Hammerschmi				F, Kolb HJ,	Relate	ed Articles,	Links
	1	Selection of transformed Eur J Immuno	B cell line	s.		T cells by	mini-I	EBV-	

Related Articles, Links

PMID: 15971271 [PubMed - indexed for MEDLINE] Related Articles, Links 7: Peggs KS, Mackinnon S. Augmentation of virus-specific immunity after hematopoietic stem cell transplantation by adoptive T-cell therapy. Hum Immunol. 2004 May;65(5):550-7. PMID: 15172456 [PubMed - indexed for MEDLINE] [8: Lacey SF, Gallez-Hawkins G, Crooks M, Martinez J, Senitzer D, Related Articles, Links Forman SJ, Spielberger R, Zaia JA, Diamond DJ. Characterization of cytotoxic function of CMV-pp65-specific CD8+ Tlymphocytes identified by HLA tetramers in recipients and donors of stemcell transplants. Transplantation. 2002 Sep 15;74(5):722-32. PMID: 12352893 [PubMed - indexed for MEDLINE] 9: Barbui AM, Borleri G, Conti E, Ciocca A, Salvi A, Mico C, Related Articles, Links Introna M, Rambaldi A. Clinical grade expansion of CD45RA, CD45RO, and CD62L-positive Tcell lines from HLA-compatible donors: high cytotoxic potential against AML and ALL cells. Exp Hematol. 2006 Apr;34(4):475-85. PMID: 16569594 [PubMed - indexed for MEDLINE] 10: Vaz-Santiago J, Lule J, Rohrlich P, Jacquier C, Gibert N, Le Roy Related Articles, Links E, Betbeder D, Davignon JL, Davrinche C. Ex vivo stimulation and expansion of both CD4(+) and CD8(+) T cells from peripheral blood mononuclear cells of human cytomegalovirusseropositive blood donors by using a soluble recombinant chimeric protein, IE1-pp65. J Virol. 2001 Sep;75(17):7840-7. PMID: 11483727 [PubMed - indexed for MEDLINE] 11: Foster AE, Gottlieb DJ, Sartor M, Hertzberg MS, Bradstock KF. Related Articles, Links Cytomegalovirus-specific CD4+ and CD8+ T-cells follow a similar reconstitution pattern after allogeneic stem cell transplantation. Biol Blood Marrow Transplant. 2002;8(9):501-11. PMID: 12374455 [PubMed - indexed for MEDLINE] 12: Peggs KS, Verfuerth S, Pizzey A, Khan N, Guiver M, Moss PA, Related Articles, Links Mackinnon S. Adoptive cellular therapy for early cytomegalovirus infection after allogeneic stem-cell transplantation with virus-specific T-cell lines. Lancet. 2003 Oct 25;362(9393):1375-7. PMID: 14585640 [PubMed - indexed for MEDLINE] 13: Feder-Mengus C, Schultz-Thater E, Oertli D, Marti WR, Heberer Related Articles, Links M, Spagnoli GC, Zajac P. Nonreplicating recombinant vaccinia virus expressing CD40 ligand enhances APC capacity to stimulate specific CD4+ and CD8+ T cell Hum Gene Ther. 2005 Mar; 16(3):348-60. PMID: 15812230 [PubMed - indexed for MEDLINE]

14: Villacres MC, Lacey SF, La Rosa C, Krishnan R, Auge C.


Longmate J. Zaia JA, Leedom JM, Diamond DJ.

	Human immunodeficiency virus-infected patients receiving highly active antiretroviral therapy maintain activated CD8+ T cell subsets as a strong adaptive immune response to cytomegalovirus. J Infect Dis. 2001 Aug 1;184(3):256-67. Epub 2001 Jul 10. PMID: 11443550 [PubMed - indexed for MEDLINE]
□ 15:	Lucas KG, Sun Q, Burton RL, Tilden A, Vaughan WP, Carabasi Related Articles, Links M, Salzman D, Ship A.
	A phase I-II trial to examine the toxicity of CMV- and EBV-specific cytotoxic T lymphocytes when used for prophylaxis against EBV and CMV disease in recipients of CD34-selected/T cell-depleted stem cell transplants. Hum Gene Ther. 2000 Jul 1;11(10):1453-63. PMID: 10910142 [PubMed - indexed for MEDLINE]
□ 16:	Einsele H, Rauser G, Grigoleit U, Hebart H, Sinzger C, Riegler S, Jahn G. Related Articles, Links
	Induction of CMV-specific T-cell lines using Ag-presenting cells pulsed with CMV protein or peptide. Cytotherapy. 2002;4(1):49-54. PMID: 11953041 [PubMed - indexed for MEDLINE]
□ 17:	Bronke C, Palmer NM, Jansen CA, Westerlaken GH, Polstra AM, Reiss P, Bakker M, Miedema F, Tesselaar K, van Baarle D. Related Articles, Links
	Dynamics of cytomegalovirus (CMV)-specific T cells in HIV-1-infected individuals progressing to AIDS with CMV end-organ disease. J Infect Dis. 2005 Mar 15;191(6):873-80. Epub 2005 Jan 31. PMID: 15717261 [PubMed - indexed for MEDLINE]
□ 18:	<u>Trivedi D, Williams RY, O'Reilly RJ, Koehne G.</u> Related Articles, Links
	Generation of CMV-specific T lymphocytes using protein-spanning pools of pp65-derived overlapping pentadecapeptides for adoptive immunotherapy. Blood. 2005 Apr 1;105(7):2793-801. Epub 2004 Oct 28. PMID: 15514011 [PubMed - indexed for MEDLINE]
□ 19:	Ozdemir E, St John LS, Gillespie G, Rowland-Jones S, Champlin Related Articles, Links RE, Molldrem JJ, Komanduri KV.
	Cytomegalovirus reactivation following allogeneic stem cell transplantation is associated with the presence of dysfunctional antigen-specific CD8+ T cells. Blood. 2002 Nov 15;100(10):3690-7. Epub 2002 Jul 5. PMID: 12393402 [PubMed - indexed for MEDLINE]
□ 20:	Waldman WJ, Knight DA, Adams PW, Orosz CG, Sedmak DD. Related Articles, Links
	In vitro induction of endothelial HLA class II antigen expression by cytomegalovirus-activated CD4+ T cells. Transplantation. 1993 Dec;56(6):1504-12. PMID: 7904091 [PubMed - indexed for MEDLINE]
Display	Summary Show 20 Sort by Send to

Write to the Help Desk
NCBI | NLM | NIH

Department of Health & Human Services Privacy Statement | Freedom of Information Act | Disclaimer

Aug 14 2006 08:07:58




5: Wills MR, Carmichael AJ, Mynard K, Jin X, Weekes MP, Plachter Related Articles, Links

The human cytotoxic T-lymphocyte (CTL) response to cytomegalovirus is dominated by structural protein pp65: frequency, specificity, and T-cell

B, Sissons JG.

J Virol. 1996 Nov;70(11):7569-79. PMID: 8892876 [PubMed - indexed for MEDLINE] 5: Foster AE, Bradstock KF, Sili U, Marangolo M, Rooney CM, Related Articles, Links Gottlieb DJ. A comparison of gene transfer and antigen-loaded dendritic cells for the generation of CD4+ and CD8+ cytomegalovirus-specific T cells in HLA-A2+ and HLA-A2- donors. Biol Blood Marrow Transplant. 2004 Nov;10(11):761-71. PMID: 15505607 [PubMed - indexed for MEDLINE] 7: Retiere C, Prod'homme V, Imbert-Marcille BM, Bonneville M, Related Articles, Links Vie H, Hallet MM. Generation of cytomegalovirus-specific human T-lymphocyte clones by using autologous B-lymphoblastoid cells with stable expression of pp65 or IE1 proteins: a tool to study the fine specificity of the antiviral response. J Virol. 2000 May;74(9):3948-52. PMID: 10756006 [PubMed - indexed for MEDLINE] R: Provenzano M, Lim JB, Mocellin S, Monsurro V, Bettinotti M, Related Articles, Links Marincola FM, Stroncek DF. The matrix protein pp65(341-350): a peptide that induces ex vivo stimulation and in vitro expansion of CMV-specific CD8+ T cells in subjects bearing either HLA-A*2402 or A*0101 allele. Transfusion. 2003 Nov;43(11):1567-74. PMID: 14617317 [PubMed - indexed for MEDLINE] Gyulai Z, Endresz V, Burian K, Pincus S, Toldy J, Cox WI, Meric Related Articles, Links C, Plotkin S, Gonczol E, Berencsi K. Cytotoxic T lymphocyte (CTL) responses to human cytomegalovirus pp65, IE1-Exon4, gB, pp150, and pp28 in healthy individuals: reevaluation of prevalence of IE1-specific CTLs. J Infect Dis. 2000 May; 181(5):1537-46. Epub 2000 May 15. PMID: 10823751 [PubMed - indexed for MEDLINE] 10: Lacey SF, Gallez-Hawkins G, Crooks M, Martinez J, Senitzer D, Related Articles, Links Forman SJ, Spielberger R, Zaia JA, Diamond DJ. Characterization of cytotoxic function of CMV-pp65-specific CD8+ Tlymphocytes identified by HLA tetramers in recipients and donors of stem-cell transplants. Transplantation. 2002 Sep 15;74(5):722-32. PMID: 12352893 [PubMed - indexed for MEDLINE] 11: Weekes MP, Wills MR, Sissons JG, Carmichael AJ. Related Articles, Links Long-term stable expanded human CD4+ T cell clones specific for human cytomegalovirus are distributed in both CD45RAhigh and CD45ROhigh populations. J Immunol. 2004 Nov 1;173(9):5843-51. PMID: 15494538 [PubMed - indexed for MEDLINE] 12: Hebart H, Daginik S, Stevanovic S, Grigoleit U, Dobler A, Baur Related Articles, Links M, Rauser G, Sinzger C, Jahn G, Loeffler J, Kanz L, Rammensee HG, Einsele H. Sensitive detection of human cytomegalovirus peptide-specific cytotoxic T-lymphocyte responses by interferon-gamma-enzyme-linked immunospot assay and flow cytometry in healthy individuals and in



Display Summary

J Infect Dis. 2005 Dec 1;192(11):1912-20. Epub 2005 Oct 21.
PMID: 16267762 [PubMed - indexed for MEDLINE]

20: Gallez-Hawkins G, Villacres MC, Li X, Sanborn MC, Lomeli
NA, Zaia JA.

Use of transgenic HLA A*0201/Kb and HHD II mice to evaluate frequency of cytomegalovirus IE1-derived peptide usage in eliciting human CD8 cytokine response.
J Virol. 2003 Apr;77(7):4457-62.
PMID: 12634406 [PubMed - indexed for MEDLINE]

Items 1 - 20 of 405

Write to the Help Desk

NCBI | NLM | NIH

Department of Health & Human Services

Privacy Statement | Freedom of Information Act | Disclaimer

Show 20 Sort by

Aug 14 2006 08:07:58

Send to